


**Hearing Center of Plainview**

100 Manetto Hill Rd, Ste 102-A

Plainview, NY 11803

P 516.931.6630

F 516.931.4137



**Directions:**

**FROM SOUTHERN STATE PKWY:**

Exit 28A N (Seaford-Oyster Bay Xway – Rte 135) to Exit 10 (Old Country Rd). Right at exit light. Left onto Manetto Hill Rd (approx. 0.7 mi.). First shopping center on left (0.5 mi.).

**FROM NORTHERN STATE PKWY EASTBOUND:**

Exit 37 south toward Plainview. Right at exit light (elementary school on right). Second shopping center on right (0.9 mi.).

**FROM NORTHERN STATE PKWY WESTBOUND:**

Exit 37 south toward Plainview. Left onto Manetto Hill Rd. Second shopping center on right (0.9 mi.).

**FROM L.I.E. EASTBOUND:**

Exit 45 (Manetto Hill Rd). Head south toward Plainview. Second shopping center on right (approx. 1.4 mi.).

**FROM L.I.E. WESTBOUND:**

Exit 46 (Sunnyside Blvd). At exit light take a left onto Sunnyside Blvd. Follow all the way to end of road (0.6 mi). Left onto Manetto Hill Rd. Second shopping center on right (0.7 mi).